

Insights into refertilization processes in lithospheric mantle from integrated isotopic studies in the Lherz Massif

V. LE ROUX^{1,2}, J.-L. BODINIER¹, O. ALARD^{1,2},
P. WIELAND² AND S.Y. O'REILLY²

¹Géosciences Montpellier, UMR 5243 - CC 60, Université
Montpellier 2, Place E. Bataillon, 34095 Montpellier
cedex 5 France

²GEMOC, Department of Earth & Planetary Sciences,
Macquarie University NSW 2109, Australia

Differentiation of the Earth's mantle occurs principally through partial melting and extraction of basaltic melt. Among the mantle rocks occurring at the Earth's surface, harzburgites are widely considered as refractory mantle residues left after extraction of a basaltic component. In contrast, fertile lherzolites are generally regarded as pristine mantle, only weakly affected by partial melting. However in the Lherz Massif (France), structural mapping shows that the lherzolites are secondary rocks formed at the expense of the harzburgites. Variations of major, minor and trace elements across the harzburgite-lherzolite contacts indicate that the lherzolites were formed through a refertilization process involving interaction of refractory, lithospheric mantle with upwelling asthenospheric partial melts. Rare-earth elements (REE) in clinopyroxenes display variable chondrite-normalized REE patterns. Massive harzburgite bodies show U-shaped REE patterns whereas lherzolites have classic N-MORB REE patterns as observed in orogenic lherzolites worldwide. However at the contact, both lherzolite and harzburgite show more LREE-enriched clinopyroxenes than their distal counterparts. These REE enrichments also cannot be explained by partial melting model and provide further evidence for refertilization.

In order to further constrain the mechanisms involved in the refertilisation process, we investigated Sr, Nd and Hf isotopic compositions of over 15 samples across a harzburgite-lherzolite contact, as well as "distal" samples. Sr isotopes were measured in whole-rocks and clinopyroxene separates (TIMS and MC-ICP-MS), combined with the Sr in-situ method on clinopyroxenes (LA-MC-ICPMS). Al₂O₃ is negatively correlated with ⁸⁷Sr/⁸⁶Sr and positively correlated with ¹⁴³Nd/¹⁴⁴Nd. These correlations are consistent with REE patterns. Distal harzburgites have ⁸⁷Sr/⁸⁶Sr = 0.703638(6), while distal lherzolites have ⁸⁷Sr/⁸⁶Sr between 0.7020 and 0.7025. Towards the contact, the lherzolites show a steady increase in ⁸⁷Sr/⁸⁶Sr up to 0.7032. The harzburgites within the contact radiogenic compositions up to 0.7055. The highly radiogenic composition of the contact zone is not compatible with melting models. Further investigations are in progress to characterise the scale and range of isotopic variations across the transition from harzburgite and lherzolite.

P-V-T equation of state of glasses and melts by X-ray microtomography and absorption

C.E. LESHER¹, Y. WANG², S. GAUDIO¹, A. CLARK¹, AND
M. RIVERS²

¹Dept. of Geology, UC Davis, Davis, CA 95616
(celesher@ucdavis.edu)

²GSECARS, ANL, Argonne, IL 60439

The new high-pressure X-ray tomographic microscope installed on 13-BM-D at GSECARS-APS/ANL is being refined to measure the volumetric properties of glasses and melts. Bulk moduli are constrained through direct measurements of volume changes by X-ray computed tomography and density is determined from X-ray absorption. The tomographic microscope consists of two opposing anvils compressed within an X-ray-transparent containment ring supported by thrust bearings driven by a 250-ton hydraulic press. This system permits the pressure cell to rotate under a load, while collecting radiographs through 180 degrees of rotation. Individual radiographs are recorded by a CCD camera after conversion to visible light by a YAG scintillator and are combined to render the volume using a back-projection algorithm and standard flat/dark field corrections with minimal filtering, following by image processing. The 13-BM-D beamline configuration permits switching between a monochromatic beam to produce high-quality radiographs and a white beam to measure pressure through energy dispersive diffraction of a standard. Density is recovered from the linear attenuation coefficient calibrated against internal pressure standards. Preliminary results are reported for refractory magnesium silicate glasses compressed to ~11 GPa and heated to glass transition temperatures using a modified toroidal anvil cell. Strategies to reach the melting interval for *in situ* studies of compositions relevant to the Earth's mantle and core will be discussed.