

# Percolation Threshold of Iron-Sulfide Melts in Olivine Matrix: an Experimental Study with a Centrifuging Piston Cylinder

G. SOLFERINO<sup>1</sup>, M. W. SCHMIDT<sup>1</sup> AND N. BAGDASSAROV<sup>2</sup>

<sup>1</sup>Institute for Mineralogy and Petrology, ETH Zurich;

[solferino@erdw.ethz.ch](mailto:solferino@erdw.ethz.ch); [max.schmidt@erdw.ethz.ch](mailto:max.schmidt@erdw.ethz.ch)

<sup>2</sup>Institut fuer Geowissenschaften, J. W. Goethe Universitaet;

[nikbagd@geophysik.uni-frankfurt.de](mailto:nikbagd@geophysik.uni-frankfurt.de)

There are several theories about metal-silicate segregation and the formation of the Earth's core. One of them is the percolation of iron-sulfide melts through a solid silicate matrix, but the efficiency of such a mechanism is still under discussion. The main goal of the present investigation is to determine the percolation threshold for a simplified composition of the Earth core and silicate mantle and to verify whether buoyancy driven segregation of such metal-rich (anion-poor) melts is feasible. Starting materials are mixtures of natural olivine (S. Carlos) and iron-sulfide powder with the eutectic composition of the Fe-FeS system. The experimental apparatus used are a standard end-loaded piston cylinder and a newly developed centrifuging piston cylinder. This rotating piston cylinder spins to a maximum speed of 2900 rpm (equivalent to an acceleration of 3000 g) at experimental conditions to 1.5 GPa and 1300°C (standard 14 mm diameter, salt-pyrex assembly).

In static experiments, from BSE images of quenched samples, we observe interconnection of the melt at 20 vol. %, whereas at 10 vol. % the melt is mainly located in isolated pockets and triple junctions. We performed centrifuge experiments with mixtures containing 20 vol. % of melt in an olivine matrix and an additional thin layer of pure Fe-FeS melt on top of the olivine-melt. No sign of a melt displacement towards the bottom of the capsule is observed (the molten iron-sulfide remains homogeneously distributed in the olivine matrix), although theory predicts melt segregation velocities of 40 mm/h at 100g). A reason for this behavior could be a high surface tension of the metallic melt that hinders its mobility in the inter-grain space. Centrifuge experiments with olivine plus silicate melt have shown that melt segregates towards the top of the capsule, proving that the experimental set-up is proper to study percolation in partially molten systems. Thus, the absence of segregation for the iron-sulfide melt cannot be ascribed to the experimental procedure.

In conclusions, the percolation of a metallic-rich melt through solid silicates does not seem a plausible mechanism for core formation in terrestrial planets (at least in absence of shear deformation) at reducing conditions.