

High- P,T Elasticity of Iron and Some Alloys

TAKU TSUCHIYA^{1,2*}, YASUHIRO KUWAYAMA¹,
KENJI KAWAI³, AND MIAKI ISHII⁴

¹Geodynamics Research Center, Ehime University, 2-5, Bunkyocho, Matsuyama 790-8577, Japan

²Earth-Life Science Institute, Tokyo Institute of Technology, Japan

³Earth Science and Astronomy, University of Tokyo, Japan

⁴Earth and Planetary Sciences, Harvard University, USA

(*correspondence: tsuchiya.taku.mg@ehime-u.ac.jp)

Earth's inner core (329~364 GPa and 5000~6000 K) is thought to be composed of solid Fe-Ni alloy with some light elements. Thermoelasticity of iron and iron-light element alloys is therefore a key to interpreting seismological information of the inner core: density, seismic wave velocities, and their anisotropy. However, several studies reported that pure hcp iron has a shear modulus distinctly larger than that of the inner core [1,2]. This large Poisson ratio of the inner core is one of the remaining inexplicable features of the deep Earth, and some studies recently proposed this be explained by alloyed with carbon [3].

In this study, we perform *ab initio* molecular dynamics simulations of iron and iron-carbon alloy. Also computations are conducted in a wide P,T range including, but not limited to, the inner core conditions to clarify the P,T effects on their elasticity more comprehensively, and to provide an internally-consistent thermoelastic model. In addition to checking the validity of the Birch's law, the obtained Poisson ratio and aggregate anisotropy, with and without the pre-melting effect, are compared against seismological constraints to reinvestigate the viability of iron and iron-carbon alloy in the inner core.

Research supported by KAKENHI and the X-ray Free Electron Laser Priority Strategy Program (MEXT).

[1] Mao *et al.* (1998) *Nature* **396**, 741.

[2] Vocadlo *et al.* (2009) *Earth Planet. Sci. Lett.* **288**, 534.

[3] Chen *et al.* (2014) *PNAS* **111**, 17755.