On-line monitoring of the gas composition in the Full-scale Emplacement experiment at Mt. Terri (Switzerland)

Y. TOMONAGA¹, N. GIROUD², M.S. BRENNWALD³, E. HORSTMANN³, R. KIPFER³, P. WERSIN¹

 ¹University of Bern, Institute of Geological Sciences, Baltzerstrasse 1+3, CH-3012 Bern, Switzerland
²NAGRA, Hardstrasse 73, CH-5430 Wettingen, Switzerland
³Eawag, Swiss Federal Institute of Aquatic Science and Technology, Überlandstrasse 133, CH-8600 Dübendorf, Switzerland

The build-up of pressure due to gas generation is a critical factor in the safety assessment of deep geological repositories. Different processes are expected to produce and/or to consume gas which will have a direct influence on the composition of the gas phase and the pressure build-up (Diomidis et al., 2016; Nagra Technical Report NTB 16-03). The accuracy of the evaluation and prediction of safety-relevant processes can be increased through the quantification of gas production and/or consumption rates and the understanding of the underlying mechanisms. In this context, the Full-scale Emplacement (FE) experiment at the Mt. Terri rock laboratory (St. Ursanne, Switzerland) is a unique opportunity to study the evolution of the gas composition in the near-field of an emplacement tunnel conceived for spent fuel / high-level waste (SF/HLW) during the early period after closure at full scale.

Identification and quantification of processes controlling the composition of the gas phase in the near field of the FE experiment are targeted by the integration and interpretation of the following observational and experimental activities: 1) collection of data in the field by on-site monitoring of the gas composition in the FE tunnel by means of O₂ and H₂ sensors and a state-of-the-art on-line mass spectrometric system (Brennwald et al., 2016; Environ. Sci. Technol., 50(24), 13455-13463), 2) regular sampling of the gas phase for precise analyses (e.g., major and trace gases, noble gas isotopes, alkanes, alkenes, δ^{13} C_{CH4}, δ^{2} H_{CH4}), and 3) laboratory experiments which provide quantitative information on the interactions between different materials in the FE tunnel and the gas phase.

The present contribution focuses on the on-line monitoring of gas species in the FE experiment and aims to stimulate a scientific discussion on the conceptual/technical challenges in the acquisition of mid- and long-term data series of gas concentrations directly in the field.