Petrographic and geochemical characterization of the Archean fine granitoid: Example of the Bakoudou gold deposit in Gabon

Nazaire NZAOU MABIKA^{1*}, Amina WAFIK¹, Abdellah BOUSHABA², Ali SAQUAQUE³, Lhou MAACHA³, Mohamed GARRHABI³.

¹ Faculty of Sciences Semlalia, Cadi Ayyad University, Marrakech, Morocco;

² Faculty of Sciences of Fez;

³ Managem Group, Twin Center, Casablanca, Morocco

Email: <u>nzaounazaire@yahoo.fr</u>

The Bakoudou gold deposit is located in southeastern Gabon in the province of Haut-Ogooué, specifically on the Chaillu Massif about 700 km south-east of Libreville, 40 km south of the village of Bakoumba and 60 km southwest of Franceville. It is hosted in granitoids belonging to the Archean basement of the Chaillu massif, and dated between 2880 Ma and 2550 Ma (Bouton et al., 2009; Thiéblemont et al., 2009; Chevallier et al., 2002; Thomas et al., 2001; Prian et Johan, 1989; Caen-Vachette et al., 1988). These granitoids have a large lithological diversity due to the existence of several plutonic episodes plutoniques (Bouton et al., 2009a; Chevallier et al., 2002; Prian et Johan, 1989; Thomas et al., 2001).

The petrographic study of granitoid Bakoudou allowed us to distinguish three facies of rock namely: The gray granitoids (quartz diorite and granodiorite), with the same mineralogical composition consisting of plagioclase, hornblende, biotite, quartz, low potassium feldspar, accessory minerals (zircons, apatite) and opaque minerals. And leucocratic porphyry pink granitoid (Granite) composed mainly of plagioclase, potassic feldspar, quartz, biotite, accessory minerals (zircons, apatite) and opaque minerals. The evolution of quartz diorites to granites results in a decrease in plagioclase and amphibole levels, and a progressive increase in the quartz and potassium feldspar content.

The geochemical study (major elements, traces and rare earths) of our samples allowed us to show that the granitoids of Bakoudou are magnesian rocks, calc-alkaline to calcic. They have a moderately potassic calc-alkaline affinity, with meta-aluminous to weakly hyperaluminous character. All these rocks show geochemical signatures of volcanic arc granitoids, which implies their formation under the influence of a subduction zone.

The evolution of the chemical compositions in major elements, traces and rare earths, as well as the petrographic data allow to conclude that the studied rocks come from the same source of mantle magma with a probable crustal contamination, and that the links between the different Facies are governed by fractional crystallization processes.

Key words: Gabon, Granitoid, Bakoudou gold deposit, geochemistry, petrography